

Ključ nasadni 1/2" impact z notranjim TX profilom

231/4TX



Profili




[\(/slo/about-us/materials\)](#)
[\(/slo/support/warranty\)](#)



Atributi izdelka

- material: Premium Flex krom vanadijevo jeklo
- kovan, v celoti poboljšan
- površinska zaščita: fosfatiran po ISO 9717



612880



E 10

D1

15

D2

25

L




38


T

7.5






90

|  |  | D1 | D2 | L | T |  |
|---|--|------|----|----|------|--|
| 612881 | E 12 | 16 | 25 | 38 | 8.5 | 90 |
| 612882 | E 14 | 18.5 | 25 | 38 | 10 | 95 |
| 612883 | E 16 | 20 | 25 | 38 | 11 | 95 |
| 612884 | E 18 | 22 | 25 | 38 | 12 | 95 |
| 612885 | E 20 | 25 | 30 | 38 | 13.5 | 145 |
| 612886 | E 24 | 28.5 | 30 | 45 | 21 | 170 |









Maloprodajno pakiranje

|  | MA | MB | MC |  |
|--|-----|----|----|---|
| 612880 | 105 | 44 | 43 | 95 |
| 612881 | 105 | 44 | 43 | 95 |
| 612882 | 105 | 44 | 43 | 100 |
| 612883 | 105 | 44 | 43 | 100 |
| 612884 | 105 | 44 | 43 | 100 |
| 612885 | 105 | 44 | 44 | 150 |
| 612886 | 115 | 44 | 44 | 175 |



Transportno pakiranje

|  |  | TA | TB | TC |  |
|--|---|----|-----|----|---|
| 612880 | 4 | 93 | 144 | 57 | 505 |
| 612881 | 4 | 93 | 144 | 57 | 505 |
| 612882 | 4 | 93 | 144 | 57 | 525 |
| 612883 | 4 | 93 | 144 | 57 | 525 |

|  |  | TA | TB | TC |  |
|--|---|----|-----|----|---|
| 612884 | 4 | 93 | 144 | 57 | 525 |
| 612885 | 4 | 93 | 144 | 57 | 725 |
| 612886 | 4 | 93 | 144 | 57 | 825 |